AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

ABBOUD Francois M. & CHAPLEAU Mark W. Effects of pulse frequency on single-unit baroreceptor activity during sine-wave and natural pulses in dogs. 295

AL-AMOOD W.S. The response of rat soleus muscle to chronic phasic stimulation in the presence of the motoneurones. (C) 74*P*

AL-FALAHE Najem A. & VALLBO Åke B. Role of the human fusimotor system in a motor adaptation task. 77

ALFORD S.T., COAN E.J., COLLINGRIDGE G.L., DAVIES S.N. & LESTER R.A.J. Voltage-dependent block of synaptic responses by kynurenine in rat hippocampus *in vitro*. (C) 72*P*

ALLEN D.G., LEE J.A. & SMITH G.L. The effects of simulated ischaemia on intracellular calcium and tension in isolated ferret ventricular muscle. (C) 81*P*

ALLERTON C.A., BODEN P.R. & HILL R.G. (−)Baclofen has a hyperpolarizing action on neurones in rat spinal dorsal horn *in vitro*. (C) 67*P*

ALLESCHER H.-D., DANIEL E.E., DENT J., FOX J.E.T. & KOSTOLANSKA F. Extrinsic and intrinsic neural control of pyloric sphincter pressure in the dog. 17

ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGJI D.J.S. Stimulation of methionine-enkephalin (ENK) and dynorphin (DYN) release in the neostriatum of male Wistar rats by corticotrophin-releasing factor (CRF) both *in vitro* and *in vivo*. (C) 32*P*

AMOS A., ARMSTRONG D.M. & MARPLE-HORVAT D.E. Servo-controlled tracking of awake free-to-move cats. (D) 5*P*

ARGIBAY Jorge A., FISCHMEISTER Rodolphe & HARTZELL H. Criss Inactivation, reactivation and pacing dependence of calcium current in frog cardiocytes: correlation with current density. 201

ARMSTRONG D.M. *see* AMOS A., ARMSTRONG D.M. & MARPLE-HORVAT D.E. Servo-controlled tracking of awake free-to-move cats. (D) 5*P*

ASHMORE J.F. & LEWIS D.M. Simple computer-driven psychophysical experiments for class use. (D) 6*P*

ASHMORE J.F., LEWIS D.M. & SCHWINING C. Use of BBC Master microcomputer and Unilab interface in electrophysiological experiments for class use. (D) 7*P*

ASHMORE J.F. An application of digital image processing to the measurement of movement in cochlear hair cells. (D) 16*P*

ASHMORE J.F. & HOLLEY M.C. A structural basis for fast length changes in outer hair cells isolated from the guinea-pig cochlea. (C) 96*P*

ASHMORE J.F. & BALME E.J. Chloride channels in the apical membrane of isolated Hensen cells of the guinea-pig cochlea. (C) 97*P*

ÅSTRAND Per, BROCK James A. & CUNNANE Thomas C. Time course of transmitter action at the sympathetic neuroeffector junction in rodent vascular and non-vascular smooth muscle. 657

ATTWELL David, BARBOUR Boris & BREW Helen The effect of internal ions on electrogenic glutamate uptake in glial cells isolated from the tiger salamander retina. (C) 92*P*

BAGNI M.A., CECCHI G., COLOMO F. & TESI C. Plateau and descending limb of the sarcomere length–tension relation in short length-clamped segments of frog muscle fibres. 581

BALME E.J. *see* ASHMORE J.F. & BALME E.J. Chloride channels in the apical membrane of isolated Hensen cells of the guinea-pig cochlea. (C) 97*P*

BANKS D. & MATTHEWS B. The use of microwires for chronic recording from the thalamus in cats. (D) 20*P*

BARBOUR Boris *see* ATTWELL David, BARBOUR Boris & BREW Helen The effect of internal ions on electrogenic glutamate uptake in glial cells isolated from the tiger salamander retina. (C) 92*P*

BARRETT J.S., PEARSON H.A. & W.-WRAY D. Non-competitive antagonism of calcium by magnesium at the mouse neuromuscular junction *in vitro*. (C) 91*P*

BAUER Paul J. Evidence for two functionally different membrane fractions in bovine retinal rod outer segments. 309

BAXENDALE R.H., FERRELL W.R., HALLIDAY D.M., ROSENBERG J.R. & WOOD L. Joint afferent contributions to motor-unit firing in decerebrate cats. (C) 41*P*

BELMONTE C., GALLAR J., POZO M.A. & REBOLLO I. Effects of capsaicin on the neural discharge of corneal sensory fibres in the anaesthetized cat. (C) 57*P*

BENNETT Max R. & LAVIDIS Nickolas A. Quantal secretion at release sites of nerve terminals in toad (*Bufo marinus*) muscle during formation of topographical maps. 567

BENNETT T., COMPTON A.M. & GARDINER S.M. Differential regional haemodynamic effects of depressor doses of rat calcitonin-gene-related peptide (CGRP), rat corticotropin-releasing factor (CRF) and α-rat atrial natriuretic peptide (ANP) in conscious Long Evans rats. (C) 87*P*

BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic changes following administration of sodium nitroprusside (SNP) to conscious Long Evans and Brattleboro rats. (C) 88*P*

BESSER G.M., GROSSMAN A., REES L.H. & TSAGARAKIS S. Effects of acetylcholine and noradrenaline on immunoreactive CRF-41 release from incubated rat hypothalamic fragments *in vitro*. (C) 37*P*

BETTANEY J., DRAY A. & PERKINS M.N. Selective and non-selective actions of capsaicin on afferent fibres of the neonatal rat spinal cord-tail preparation *in vitro*. (C) 58*P*

BHARALI Louisa A.M., BURGESS S.A., LISNEY S.J.W. & PEARSON Debra Use of a dental impression technique for recording the numbers of sweat glands on the rat hind paw. (D) 14*P*

BICKNELL R.J., COOMBES J.E., FINK G., RUSSELL J.A. & SHEWARD W.J. Effects of naloxone and long-term morphine administration on oxytocin release into hypophysial portal blood in urethane-anaesthetized rats. (C) 35*P*

BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The effects of glucose removal and cyanide on intracellular Ca^{2+} in isolated, single mouse dorsal root ganglion cells. (C) 60*P*

BODEN P.R. *see* ALLERTON C.A., BODEN P.R. & HILL R.G. (−)Baclofen has a hyperpolarizing action on neurones in rat spinal dorsal horn *in vitro*. (C) 67*P*

BOISSONADE F. & MATTHEWS B. A technique for chronic recording from trigeminal brain-stem neurones in the cat. (D) 19*P*

BOOTHBY Kate M. & ROBERTS Alan Descending GABA neurones inhibit swimming in the amphibian embryo, *Xenopus laevis*. (C) 38*P*

BOUCHENAFA O., LIVINGSTON A. & WATERMAN A. Autoradiographic localization of α_2-adrenoceptor agonists in sheep spinal cord following intrathecal administration. (C) 54*P*

BREW Helen *see* ATTWELL David, BARBOUR Boris & BREW Helen The effect of internal ions on electrogenic glutamate uptake in glial cells isolated from the tiger salamander retina. (C) 92*P*

BROCK James A. *see* ÅSTRAND Per, BROCK James A. & CUNNANE Thomas C. Time course of transmitter action at the sympathetic neuroeffector junction in rodent vascular and non-vascular smooth muscle. 657

BROWN Margaret D. & HUDLICKÁ Olga Effects of prolonged α_1-adrenoceptor blockade on β-adrenergic sensitivity of rat soleus muscle. (C) 77*P*

BRUGGER F., EVANS R.H. & OLPE H. The effects of excitatory amino acid antagonists and capsaicin on spinal reflexes of the rodent recorded *in vitro*. (C) 59*P*

BURGER R.E., ESTAVILLO J.A., KUMAR P., NYE P.C.G. & PATERSON D.J. Effects of potassium, oxygen and carbon dioxide on the steady-state discharge of cat carotid body chemoreceptors. 519

BURGESS S.A. *see* BHARALI Louisa A.M., BURGESS S.A., LISNEY S.J.W. & PEARSON Debra Use of a dental impression technique for recording the numbers of sweat glands on the rat hind paw. (D) 14*P*

BURKE D., GANDEVIA S.C., MACEFIELD G. & MCKENZIE D.K. Discharge of human motor axons recorded proximal to a complete block of the ulnar nerve. (C) 48*P*

BURKE Penelope, RIDGE R.M.A.P. & WEEDON M.C. The sprouting of single motor units in partially denervated rat lumbrical muscles. (D) 22*P*

BUTLER P.J. & TURNER D.L. Effect of training on maximal oxygen uptake and aerobic capacity of locomotory muscles in tufted ducks, *Aythya fuligula*. 347

CADDEN S.W. & NEWTON J.P. A reflex evoked by perioral stimuli in man. (C) 51*P*

CADDEN S.W. The ability of inhibitory controls to 'switch off' the responses of dorsal horn convergent neurones to sustained noxious mechanical stimuli in the rat. (C) 62*P*

CALDWELL J.H. & MILTON R.L. Sodium channel distribution in normal and denervated rodent and snake skeletal muscle. 145

CECCARELLI Bruno, FESCE Riccardo, GROHOVAZ Fabio & HAIMANN Claudia The effect of potassium on exocytosis of transmitter at the frog neuromuscular junction. 163

CECCHI G. *see* BAGNI M.A., CECCHI G., COLOMO F. & TESI C. Plateau and descending limb of the sarcomere length–tension relation in short length-clamped segments of frog muscle fibres. 581

CERVERO F. & SANN H. An *in vitro* preparation for recording single-unit activity from afferent fibres innervating the guinea-pig's ureter. (D) 3*P*

CERVERO Fernando & SHARKEY Keith A. An electrophysiological and anatomical study of intestinal afferent fibres in the rat. 381

CHALLIS J.R. & WORLEY R.T.S. The 'flat-cap' perifusion method for isolated mammalian seminiferous tubules. (D) 23*P*

CHAPLEAU Mark W. *see* ABBOUD Francois M. & CHAPLEAU Mark W. Effects of pulse frequency on single-unit baroreceptor activity during sine-wave and natural pulses in dogs. 295

CHAPMAN R.A. & RODRIGO Glenn C. Calcium paradox in isolated guinea-pig ventricular myocytes: attempts to determine the dependence of the calcium-repletion contracture on the membrane potential during the calcium-free period. (D) 26*P*

CHAUDHRY M.A., DYBALL R.E.J. & HONDA K. Evidence for complex interaction between the supraoptic nucleus and the AV3V region of the rat in osmotic regulation. (C) 31*P*

CHERUBINI E. & WILLIAMS J.T. Nifedipine-sensitive calcium current in rat locus coeruleus neurones *in vitro*. (C) 66*P*

CLARKE R.W., FORD T.W. & TAYLOR J.S. Strychnine-sensitive inhibition of a flexor reflex by activation of ipsilateral cutaneous afferents in the rabbit. (C) 53*P*

COAN E.J. & COLLINGRIDGE G.L. Perfusion with Mg^{2+}-free medium can reversibly prevent the induction of LTP in rat hippocampus *in vitro*. (C) 71*P*

COAN E.J. *see* ALFORD S.T., COAN E.J., COLLINGRIDGE G.L., DAVIES S.N. & LESTER R.A.J. Voltage-dependent block of synaptic responses by ketamine in rat hippocampus *in vitro*. (C) 72*P*

COLLINGRIDGE G.L. *see* COAN E.J. & COLLINGRIDGE G.L. Perfusion with Mg^{2+}-free medium can reversibly prevent the induction of LTP in rat hippocampus *in vitro*. (C) 71*P*

COLLINGRIDGE G.L. *see* ALFORD S.T., COAN E.J., COLLINGRIDGE G.L., DAVIES S.N. & LESTER R.A.J. Voltage-dependent block of synaptic responses by ketamine in rat hippocampus *in vitro*. (C) 72*P*

COLLINS K.J., EASTON J.C. & SACCO P. Cardiovascular responses to facial cooling with different body-surface temperatures in young and elderly human subjects. (C) 83*P*

COLOMO F. *see* BAGNI M.A., CECCHI G., COLOMO F. & TESI C. Plateau and descending limb of the sarcomere length–tension relation in short length-clamped segments of frog muscle fibres. 581

COMPTON A.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Differential regional haemodynamic effects of depressor doses of rat calcitonin-gene-related peptide (CGRP), rat corticotropin-releasing factor (CRF) and α-rat atrial natriuretic peptide (ANP) in conscious Long Evans rats. (C) 87*P*

COMPTON A.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic changes following administration of sodium nitroprusside (SNP) to conscious Long Evans and Brattleboro rats. (C) 88*P*

CONNOLD A.L., KAMEL S., VRBOVÁ G. & ZAK R. Loss of activity alters myosin expression in chicken ALD muscle. (C) 76*P*

COOK Alison & MOBBS Peter Application of FITC-peroxidase to optic nerve identifies viable ganglion cells in slice and isolated cell preparations of the tiger salamander retina. (D) 8*P*

COOMBES J.E. & RUSSELL J.A. Inhibition by a kappa-opioid receptor agonist (U50, 488H) of electrically-stimulated oxytocin secretion from the neurohypophysis in anaesthetized lactating rats. (C) 34*P*

COOMBES J.E. *see* BICKNELL R.J., COOMBES J.E., FINK G., RUSSELL J.A. & SHEWARD W.J. Effects of naloxone and long-term morphine administration on oxytocin release into hypophysial portal blood in urethane-anaesthetized rats. (C) 35*P*

CORNWALL J. & PHILLIPSON O.T. A method for the multiple retrograde labelling of cortical projection neurones in CNS in the rat. (D) 24*P*

CORNWALL J. & PHILLIPSON O.T. Afferent projections to the medial pretectum in the rat. (C) 56*P*

CRAPPER J.E., MATTHEWS B. & WALTERS A.S. Sensory responses evoked by thermal stimulation of human teeth. (D) 18*P*

CRUNELLI V., LIGHTOWLER S. & SOLTESZ I. The late K^+ dependent IPSP is a $GABA_B$-mediated synaptic potential: evidence from rat and cat central neurones *in vitro*. (C) 68*P*

CUNNANE Thomas C. *see* ÅSTRAND Per, BROCK James A. & CUNNANE Thomas C. Time course of transmitter action at the sympathetic neuroeffector junction in rodent vascular and non-vascular smooth muscle. 657

CUTLER K., INGRAM C.D. & WAKERLEY J.B. Effect of oxytocin (OT) on neuronal activity within the bed nucleus of the stria terminalis (BNST) of the rat *in vitro*. (C) 29*P*

DANIEL E.E. *see* ALLESCHER H.-D., DANIEL E.E., DENT J., FOX J.E.T. & KOSTOLANSKA F. Extrinsic and intrinsic neural control of pyloric sphincter pressure in the dog. 17

DATTA A.K., HARRISON Linda M. & STEPHENS J.A. Responses of a human hand muscle to cutaneous stimulation and magnetic brain stimulation, but not electrical brain stimulation, are task-dependent. (C) 47*P*

DAVIES S.N. *see* ALFORD S.T., COAN E.J., COLLINGRIDGE G.L., DAVIES S.N. & LESTER R.A.J. Voltage-dependent block of synaptic responses by ketamine in rat hippocampus *in vitro*. (C) 72*P*

DAVISON I., INGRAM C.D., JUSS T.S. & WAKERLEY J.B. Evidence that the paraventricular nucleus (PVN) plays a facilitatory role in the control of oxytocin pulse frequency in the suckled rat. (D) 28*P*

DAY B.L., DRESSLER D., MAERTENS DE NOORDHOUT A., MARSDEN C.D., ROTHWELL J.C. & THOMPSON P.D. Magnetic stimulation of the human brain can activate different neuronal elements when the magnetic field direction is reversed. (C) 46*P*

DENT J. *see* ALLESCHER H.-D., DANIEL E.E., DENT J., FOX J.E.T. & KOSTOLANSKA F. Extrinsic and intrinsic neural control of pyloric sphincter pressure in the dog. 17

DESSEM Dean & TAYLOR A. Morphology of jaw-elevator muscle spindle afferents in the rat. (C) 55*P*

DIEZ-GUERRA F.J., EMSON P.C. & SIRINATHSINGHJI D.J.S. Stimulation of the *in vivo* release of neurokinin A-like immunoreactivity (NKA-LI) in the rat substantia nigra by picrotoxin. (C) 45*P*

DONG Xiaowei, HARTELL Nick A., HEARLEY P. Max, PARSONS Chris G. & WEST David C. Spinal sensory processing in the rat *in vivo*: on-line analysis of somatosensory responses elicited by electronically controlled stimulation devices. (D) 25*P*

DRAY A. *see* BETTANEY J., DRAY A. & PERKINS M.N. Selective and non-selective actions of capsaicin on afferent fibres of the neonatal rat spinal cord-tail preparation *in vitro*. (C) 58*P*

DRESSLER D. *see* DAY B.L., DRESSLER D., MAERTENS DE NOORDHOUT A., MARSDEN C.D., ROTHWELL J.C. & THOMPSON P.D. Magnetic stimulation of the human brain can activate different neuronal elements when the magnetic field direction is reversed. (C) 46*P*

DUCHEN M.R. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The effects of glucose removal and cyanide on intracellular Ca^{2+} in isolated, single mouse dorsal root ganglion cells. (C) 60*P*

DUCHEN M.R. & SOMJEN G.G. Effects of cyanide and low glucose on the membrane currents of dissociated mouse primary sensory neurones. (C) 61*P*

DYBALL R.E.J. *see* CHAUDHRY M.A., DYBALL R.E.J. & HONDA K. Evidence for complex interaction between the supraoptic nucleus and the AV3V region of the rat in osmotic regulation. (C) 31*P*

DYBALL R.E.J., GROSSMANN R., LENG G. & SHIBUKI K. Spike propagation and conduction failure in the rat neural lobe. 241

EASTON J.C. *see* COLLINS K.J., EASTON J.C. & SACCO P. Cardiovascular responses to facial cooling with different body-surface temperatures in young and elderly human subjects. (C) 83*P*

EDGLEY S.A. & LIDIERTH M. Step-related discharges of Purkinje cells in the paravermal cortex of the cerebellar anterior lobe in the cat. 399

EDMONDS C.J. & WILLIS C.L. Potassium secretion by rat distal colon during acute potassium loading: effect of sodium, potassium intake and aldosterone. 39

EISNER D.A. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The effects of glucose removal and cyanide on intracellular Ca^{2+} in isolated, single mouse dorsal root ganglion cells. (C) 60*P*

EKMAN R., EKSTRÖM J., HÅKANSON R., SUNDLER F. & TOBIN G. Effects of capsaicin on neuropeptides and secretory responses of rat parotid glands. (C) 33*P*

EKSTRÖM J. *see* EKMAN R., EKSTRÖM J., HÅKANSON R., SUNDLER F. & TOBIN G. Effects of capsaicin on neuropeptides and secretory responses of rat parotid glands. (C) 33*P*

EMSON P.C. *see* DIEZ-GUERRA F.J., EMSON P.C. & SIRINATHSINGHJI D.J.S. Stimulation of the *in vivo* release of neurokinin A-like immunoreactivity (NKA-LI) in the rat substantia nigra by picrotoxin. (C) 45*P*

ESTAVILLO J.A. *see* BURGER R.E., ESTAVILLO J.A., KUMAR P., NYE P.C.G. & PATERSON D.J. Effects of potassium, oxygen and carbon dioxide on the steady-state discharge of cat carotid body chemoreceptors. 519

EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Maturation of the cutaneomuscular reflex and the speed of finger movements studied in man. (C) 50*P*

EVANS R.H. *see* BRUGGER F., EVANS R.H. & OLPE H. The effects of excitatory amino acid antagonists and capsaicin on spinal reflexes of the rodent recorded *in vitro*. (C) 59*P*

EWART Wendy R., JONES M.V. & KING B.F. Localization and distribution of brainstem efferent vagal neurones projecting to the rat stomach. (C) 65*P*

FERN R., HARRISON P.J. & RIDDELL J.S. The rostral projection of the interneurones mediating group I non-reciprocal inhibition of motoneurones of the cat hindlimb. (C) 42*P*

FERN R., HARRISON P.J. & RIDDELL J.S. The dorsal column projection of muscle afferent fibres from the cat hindlimb. 97

FERRELL W.R. *see* BAXENDALE R.H., FERRELL W.R., HALLIDAY D.M., ROSENBERG J.R. & WOOD L. Joint afferent contributions to motor-unit firing in decerebrate cats. (C) 41*P*

FESCE Riccardo *see* CECCARELLI Bruno, FESCE Riccardo, GROHOVAZ Fabio & HAIMANN Claudia The effect of potassium on exocytosis of transmitter at the frog neuromuscular junction. 163

FINK G. *see* BICKNELL R.J., COOMBES J.E., FINK G., RUSSELL J.A. & SHEWARD W.J. Effects of naloxone and long-term morphine administration on oxytocin release into hypophysial portal blood in urethane-anaesthetized rats. (C) 35*P*

FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Effects of adrenalectomy and glucocorticoids on the peptides CRF-41, AVP and oxytocin in rat hypophysial portal blood. 329

FISCHMEISTER Rodolphe *see* ARGIBAY Jorge A., FISCHMEISTER Rodolphe & HARTZELL H. Criss Inactivation, reactivation and pacing dependence of calcium current in frog cardiocytes: correlation with current density. 201

FORD T.W. *see* CLARKE R.W., FORD T.W. & TAYLOR J.S. Strychnine-sensitive inhibition of a flexor reflex by activation of ipsilateral cutaneous afferents in the rabbit. (C) 53*P*

FORTUNE N.S., GEEVES M.A. & RANATUNGA K.W. The effects of hydrostatic pressure on glycerinated, rabbit, muscle fibre tension. (D) 10*P*

FOX J.E.T. *see* ALLESCHER H.-D., DANIEL E.E., DENT J., FOX J.E.T. & KOSTOLANSKA F. Extrinsic and intrinsic neural control of pyloric sphincter pressure in the dog. 17

FRIEL David D. An ATP-sensitive conductance in single smooth muscle cells from the rat vas deferens. 361

GALLAR J. *see* BELMONTE C., GALLAR J., POZO M.A. & REBOLLO I. Effects of capsaicin on the neural discharge of corneal sensory fibres in the anaesthetized cat. (C) 57*P*

GANDEVIA S.C. *see* BURKE D., GANDEVIA S.C., MACEFIELD G. & McKENZIE D.K. Discharge of human motor axons recorded proximal to a complete block of the ulnar nerve. (C) 48*P*

GARDINER S.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Differential regional haemodynamic effects of depressor doses of rat calcitonin-gene-related peptide (CGRP), rat corticotropin-releasing factor (CRF) and α-rat atrial natriuretic peptide (ANP) in conscious Long Evans rats. (C) 87*P*

GARDINER S.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic changes following administration of sodium nitroprusside (SNP) to conscious Long Evans and Brattleboro rats. (C) 88*P*

GARLAND S. Jayne, GARNER S.H. & McCOMAS A.J. Reduced voluntary electromyographic activity after fatiguing stimulation of human muscle. 547

GARNER S.H. *see* GARLAND S. Jayne, GARNER S.H. & McCOMAS A.J. Reduced voluntary electromyographic activity after fatiguing stimulation of human muscle. 547

GATES H.-J., GOOCH Jennifer, RIDGE R.M.A.P. & ROWLERSON A. The development of homogeneous IIB motor units in a rat lumbrical muscle (isolated preparation). (D) 21*P*

GEEVES M.A. *see* FORTUNE N.S., GEEVES M.A. & RANATUNGA K.W. The effects of hydrostatic pressure on glycerinated, rabbit, muscle fibre tension. (D) 10*P*

GILLESPIE J.I., GREENWELL J.R. & SCRATCHERD T. The actions of H^+ on intracellular calcium $[Ca^{2+}]_i$ in isolated rat pancreatic acinar cells during prolonged exposure to acetylcholine (ACh). (C) 90*P*

GONOI Tohru & HASEGAWA Shuji Post-natal disappearance of transient calcium channels in mouse skeletal muscle: effects of denervation and culture. 617

GOOCH Jennifer *see* GATES H.-J., GOOCH Jennifer, RIDGE R.M.A.P. & ROWLERSON A. The development of homogeneous IIB motor units in a rat lumbrical muscle (isolated preparation). (D) 21*P*

GREENFIELD S.A. & TAYLOR S.J. *In vivo* release of acetylcholinesterase from the guinea-pig substantia nigra in response to 5-hydroxytryptamine. (C) 70*P*

GREENSMITH L., LEHOUELLEUR J. & VRBOVÁ G. The effect of early muscle paralysis on the distribution of innervation in the newborn rat. (C) 52*P*

GREENWELL J.R. *see* GILLESPIE J.I., GREENWELL J.R. & SCRATCHERD T. The actions of H^+ on intracellular calcium $[Ca^{2+}]_i$ in isolated rat pancreatic acinar cells during prolonged exposure to acetylcholine (ACh). (C) 90*P*

GROHOVAZ Fabio *see* CECCARELLI Bruno, FESCE Riccardo, GROHOVAZ Fabio & HAIMANN Claudia The effect of potassium on exocytosis of transmitter at the frog neuromuscular junction. 163

GROSSMAN A. *see* BESSER G.M., GROSSMAN A., REES L.H. & TSAGARAKIS S. Effects of acetylcholine and noradrenaline on immunoreactive CRF-41 release from incubated rat hypothalamic fragments *in vitro*. (C) 37*P*

GROSSMANN R. *see* DYBALL R.E.J., GROSSMANN R., LENG G. & SHIBUKI K. Spike propagation and conduction failure in the rat neural lobe. 241

HABERMEIER-MUTH Alice & MUSCHOLL E. Short- and long-latency muscarinic inhibition of noradrenaline release from rabbit atria induced by vagal stimulation. 277

HAIMANN Claudia *see* CECCARELLI Bruno, FESCE Riccardo, GROHOVAZ Fabio & HAIMANN Claudia The effect of potassium on exocytosis of transmitter at the frog neuromuscular junction. 163

HÅKANSON R. *see* EKMAN R., EKSTRÖM J., HÅKANSON R., SUNDLER F. & TOBIN G. Effects of capsaicin on neuropeptides and secretory responses of rat parotid glands. (C) 33*P*

HALLIDAY D.M. *see* BAXENDALE R.H., FERRELL W.R., HALLIDAY D.M., ROSENBERG J.R. & WOOD L. Joint afferent contributions to motor-unit firing in decerebrate cats. (C) 41*P*

HANSON M.A. & KUMAR P. The hypoxic sensitivity of aortic chemoreceptors in newborn lambs. (C) 85*P*

HARKNESS Margaret L.R. & HARKNESS R.D. An effect of carbon dioxide on the behaviour of an ant, *Messor wasmanni*. (C) 98*P*

HARKNESS R.D. *see* HARKNESS Margaret L.R. & HARKNESS R.D. An effect of carbon dioxide on the behaviour of an ant, *Messor wasmanni*. (C) 98*P*

HARRISON Linda M. *see* DATTA A.K., HARRISON Linda M. & STEPHENS J.A. Responses of a human hand muscle to cutaneous stimulation and magnetic brain stimulation, but not electrical brain stimulation, are task-dependent. (C) 47*P*

HARRISON Linda M. *see* EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Maturation of the cutaneomuscular reflex and the speed of finger movements studied in man. (C) 50*P*

HARRISON P.J. *see* FERN R., HARRISON P.J. & RIDDELL J.S. The rostral projection of the interneurones mediating group I non-reciprocal inhibition of motoneurones of the cat hindlimb. (C) 42*P*

HARRISON P.J. *see* FERN R., HARRISON P.J. & RIDDELL J.S. The dorsal column projection of muscle afferent fibres from the cat hindlimb. 97

HARRISON S.M., LAMONT Christine & MILLER D.J. Hysteresis and the length dependence of calcium sensitivity in chemically skinned rat cardiac muscle. 115

HARTELL Nick A. *see* DONG Xiaowei, HARTELL Nick A., HEADLEY P. Max, PARSONS Chris G. & WEST David C. Spinal sensory processing in the rat *in vivo*: on-line analysis of somatosensory responses elicited by electronically controlled stimulation devices. (D) 25*P*

HARTZELL H. Criss *see* ARGIBAY Jorge A., FISCHMEISTER Rodolphe & HARTZELL H. Criss Inactivation, reactivation and pacing dependence of calcium current in frog cardiocytes: correlation with current density. 201

HASEGAWA Shuji *see* GONOI Tohru & HASEGAWA Shuji Post-natal disappearance of transient calcium channels in mouse skeletal muscle: effects of denervation and culture. 617

HEADLEY P. Max *see* DONG Xiaowei, HARTELL Nick A., HEADLEY P. Max, PARSONS Chris G. & WEST David C. Spinal sensory processing in the rat *in vivo*: on-line analysis of somatosensory responses elicited by electronically controlled stimulation devices. (D) 25*P*

HERZ A. *see* ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGHJI D.J.S. Stimulation of methionine-enkephalin (ENK) and dynorphin (DYN) release in the neostriatum of male Wistar rats by corticotrophin-releasing factor (CRF) both *in vitro* and *in vivo*. (C) 32*P*

HICKS T.P., KUDO Y., OGURA A. & TAKEDA K. A new method for the measurement of concentrations of intracellular Ca^{2+} in CNS preparations *in situ*. (C) 63*P*

HILL R.G. *see* ALLERTON C.A., BODEN P.R. & HILL R.G. (−)Baclofen has a hyperpolarizing action on neurones in rat spinal dorsal horn *in vitro*. (C) 67*P*

HINZ I. & WERNIG A. Prolonged nerve stimulation causes changes in transmitter release at the frog neuromuscular junction. 557

HODGKISS J.P. & KELLY J.S. Electrophysiological and morphological studies of preoptic area (POA) neurones transplanted into the third ventricle of the hypogonadal mouse. (C) 36*P*

HOLLEY M.C. A micro-purification procedure for outer hair cells from the guinea-pig cochlea. (D) 17*P*

HOLLEY M.C. *see* ASHMORE J.F. & HOLLEY M.C. A structural basis for fast length changes in outer hair cells isolated from the guinea-pig cochlea. (C) 96*P*

HONDA K. *see* CHAUDHRY M.A., DYBALL R.E.J. & HONDA K. Evidence for complex interaction between the supraoptic nucleus and the AV3V region of the rat in osmotic regulation. (C) 31*P*

HUDLICKÁ Olga *see* BROWN Margaret D. & HUDLICKÁ Olga Effects of prolonged α_1-adrenoceptor blockade on β-adrenergic sensitivity of rat soleus muscle. (C) 77*P*

HUGHES Sharon & SMITH Margaret E. β-Endorphin and α-melanotropin immunoreactivity in motoneurones *in vitro* of mice with motoneurone disease. (C) 64*P*

HUGHES S.H.S., KRAIVAPHAN P. & MATTHEWS B. The effect of neonatal capsaicin treatment on the innervation of the pulp of rat incisors. (C) 40*P*

INGRAM C.D. *see* DAVISON I., INGRAM C.D., JUSS T.S. & WAKERLEY J.B. Evidence that the paraventricular nucleus (PVN) plays a facilitatory role in the control of oxytocin pulse frequency in the suckled rat. (D) 28*P*

INGRAM C.D. *see* CUTLER K., INGRAM C.D. & WAKERLEY J.B. Effect of oxytocin (OT) on neuronal activity within the bed nucleus of the stria terminalis (BNST) of the rat *in vitro*. (C) 29*P*

IRAVANI M.M., LUHESHI G.N. & ZAR M.A. Inhibition of non-cholinergic motor transmission in isolated rat urinary bladder by nifedipine. (C) 69*P*

JAMES P.S., SMITH M.W. & TIVEY D.R. Single-villus analysis of disaccharidase expression by different regions of the mouse intestine. 533

JONES M.V. *see* EWART Wendy R., JONES M.V. & KING B.F. Localization and distribution of brainstem efferent vagal neurones projecting to the rat stomach. (C) 65*P*

JONES M.W., KILPATRICK I.C. & PHILLIPSON O.T. Regulation of dopamine function in the nucleus accumbens by midline thalamic nuclei in the rat. (C) 73*P*

JUSS T.S. *see* DAVISON I., INGRAM C.D., JUSS T.S. & WAKERLEY J.B. Evidence that the paraventricular nucleus (PVN) plays a facilitatory role in the control of oxytocin pulse frequency in the suckled rat. (D) 28*P*

KAMEL S. *see* CONNOLD A.L., KAMEL S., VRBOVÁ G. & ZAK R. Loss of activity alters myosin expression in chicken ALD muscle. (C) 76*P*

KELLY J.S. *see* HODGKISS J.P. & KELLY J.S. Electrophysiological and morphological studies of preoptic area (POA) neurones transplanted into the third ventricle of the hypogonadal mouse. (C) 36*P*

KENDRICK A.H. & LASZLO G. CO transfer factor (TL_{CO}) on exercise in man: age and sex differences. (C) 84*P*

KENNING N.A. Hydrogen ion regulation in bovine adrenal medullary cells maintained in tissue culture. (C) 89*P*

KILPATRICK I.C. *see* JONES M.W., KILPATRICK I.C. & PHILLIPSON O.T. Regulation of dopamine function in the nucleus accumbens by midline thalamic nuclei in the rat. (C) 73*P*

KING B.F. *see* EWART Wendy R., JONES M.V. & KING B.F. Localization and distribution of brainstem efferent vagal neurones projecting to the rat stomach. (C) 65*P*

KIRKWOOD P.A., MUNSON J.B. & WESTGAARD R.H. Initial doublets in inspiratory discharges of thoracic motoneurones in the cat. (C) 43*P*

KOMORI S. & OHASHI H. Some membrane properties of the circular muscle of chicken rectum and its non-adrenergic non-cholinergic innervation. 417

KOSTOLANSKA F. *see* ALLESCHER H.-D., DANIEL E.E., DENT J., FOX J.E.T. & KOSTOLANSKA F. Extrinsic and intrinsic neural control of pyloric sphincter pressure in the dog. 17

KRAIVAPHAN P. *see* HUGHES S.H.S., KRAIVAPHAN P. & MATTHEWS B. The effect of neonatal capsaicin treatment on the innervation of the pulp of rat incisors. (C) 40*P*

KUCERA Jan & WALRO Jon M. Density and distribution of spindles in developing soleus muscles of the rat. (C) 78*P*

KUDO Y. *see* HICKS T.P., KUDO Y., OGURA A. & TAKEDA K. A new method for the measurement of concentrations of intracellular Ca^{2+} in CNS preparations *in situ*. (C) 63*P*

KUMAR P. *see* HANSON M.A. & KUMAR P. The hypoxic sensitivity of aortic chemoreceptors in newborn lambs. (C) 85*P*

KUMAR P. *see* BURGER R.E., ESTAVILLO J.A., KUMAR P., NYE P.C.G. & PATERSON D.J. Effects of potassium, oxygen and carbon dioxide on the steady-state discharge of cat carotid body chemoreceptors. 519

KUYPERS H.G.J.M., STRICK P.L. & UGOLINI G. Transneuronal labelling by means of Herpes Simplex Virus 1 in mice and rats. (C) 44*P*

LACEY M.G., MERCURI N.B. & NORTH R.A. On the potassium conductance increase activated by $GABA_B$ and dopamine D_2 receptors in rat substantia nigra neurones. 437

LAIRD J.M.A. A preparation to study the responses of rat dorsal horn neurones to a prolonged noxious pinch of the tail. (D) 2*P*

LAKIE M. & ROBSON Lesley G. A time-dependent property of relaxed frog muscle *in vitro*. (C) 80*P*

LAMB T.D. & MATTHEWS H.R. Differential effects of the incorporation of ATP-analogues into rod photoreceptors isolated from the tiger salamander. (C) 94*P*

LAMONT Christine *see* HARRISON S.M., LAMONT Christine & MILLER D.J. Hysteresis and the length dependence of calcium sensitivity in chemically skinned rat cardiac muscle. 115

LASZLO G. *see* KENDRICK A.H. & LASZLO G. CO transfer factor (TL_{CO}) on exercise in man: age and sex differences. (C) 84*P*

LAVIDIS Nickolas A. *see* BENNETT Max R. & LAVIDIS Nickolas A. Quantal secretion at release sites of nerve terminals in toad (*Bufo marinus*) muscle during formation of topographical maps. 567

LAWSON S.N., MCCARTHY P.W., REEH P. & WADDELL P.J. An *in vitro* rat sensory ganglion-nerve and skin preparation which allows a direct comparison of cell body and receptor properties. (D) 11*P*

LEE J.A. *see* ALLEN D.G., LEE J.A. & SMITH G.L. The effects of simulated ischaemia on intracellular calcium and tension in isolated ferret ventricular muscle. (C) 81*P*

LEGSSYER A., POGGIOLI J., RENARD D. & VASSORT G. ATP and other adenine compounds increase mechanical activity and inositol trisphosphate production in rat heart. 185

LEHOUELLEUR J. *see* GREENSMITH L., LEHOUELLEUR J. & VRBOVÁ G. The effect of early muscle paralysis on the distribution of innervation in the newborn rat. (C) 52*P*

LENG G. *see* DYBALL R.E.J., GROSSMANN R., LENG G. & SHIBUKI K. Spike propagation and conduction failure in the rat neural lobe. 241

LÉOTY C. & NOIREAUD J. Effects of caffeine and holding potential on the depolarization-contraction relationship in isolated rat soleus fibres. (C) 79*P*

LESTER R.A.J. *see* ALFORD S.T., COAN E.J., COLLINGRIDGE G.L., DAVIES S.N. & LESTER R.A.J. Voltage-dependent block of synaptic responses by ketamine in rat hippocampus *in vitro*. (C) 72*P*

LEVI Allan J. An experimental chamber for isolated cell experiments with minimal temperature gradients. (D) 4*P*

LEWIS D.M. *see* ASHMORE J.F. & LEWIS D.M. Simple computer-driven psychophysical experiments for class use. (D) 6*P*

LEWIS D.M. *see* ASHMORE J.F., LEWIS D.M. & SCHWINING C. Use of BBC Master microcomputer and Unilab interface in electrophysiological experiments for class use. (D) 7*P*

LIDIERTH M. *see* EDGLEY S.A. & LIDIERTH M. Step-related discharges of Purkinje cells in the paravermal cortex of the cerebellar anterior lobe in the cat. 399

LIGHTOWLER S. *see* CRUNELLI V., LIGHTOWLER S. & SOLTESZ I. The late K^+ dependent IPSP is a $GABA_B$-mediated synaptic potential: evidence from rat and cat central neurones *in vitro*. (C) 68*P*

LISNEY S.J.W. *see* BHARALI Louisa A.M., BURGESS S.A., LISNEY S.J.W. & PEARSON Debra Use of a dental impression technique for recording the numbers of sweat glands on the rat hind paw. (D) 14*P*

LISNEY S.J.W., WATTS Alison E. & ZAKI H.M. What is the incidence of spontaneous activity among myelinated fibres trapped in neuromata of rat peripheral nerves? (D) 15*P*

LIVINGSTON A. *see* BOUCHENAFA O., LIVINGSTON A. & WATERMAN A. Autoradiographic localization of α_2-adrenoceptor agonists in sheep spinal cord following intrathecal administration. (C) 54*P*

LOVICK T.A. Inhibitory influence of volume loading on paraventriculo-spinal neurones in the rat. (C) 30*P*

LOWRIE M.B. & SHAHANI U. The impairment of developing fast muscles after nerve injury in the rat depends upon the length of time they are separated from their nerves. (C) 75*P*

LUHESHI G.N. *see* IRAVANI M.M., LUHESHI G.N. & ZAR M.A. Inhibition of non-cholinergic motor transmission in isolated rat urinary bladder by nifedipine. (C) 69*P*

MCCARTHY P.W. *see* LAWSON S.N., MCCARTHY P.W., REEH P. & WADDELL P.J. An *in vitro* rat sensory ganglion-nerve and skin preparation which allows a direct comparison of cell body and receptor properties. (D) 11*P*

MCCOMAS A.J. *see* GARLAND S. Jayne, GARNER S.H. & MCCOMAS A.J. Reduced voluntary electromyographic activity after fatiguing stimulation of human muscle. 547

MACEFIELD G. *see* BURKE D., GANDEVIA S.C., MACEFIELD G. & MCKENZIE D.K. Discharge of human motor axons recorded proximal to a complete block of the ulnar nerve. (C) 48*P*

MACKEL Robert Conduction of neural impulses in human mechanoreceptive cutaneous afferents. 597

MCKENZIE D.K. *see* BURKE D., GANDEVIA S.C., MACEFIELD G. & MCKENZIE D.K. Discharge of human motor axons recorded proximal to a complete block of the ulnar nerve. (C) 48*P*

MCQUEEN D.S. & MIR A.K. Involvement of 5-HT_3 receptors in responses of cat carotid body chemoreceptors to phenylbiguanide. (C) 86*P*

MAENO Takashi & SHIBUYA Yuzo Effects of 2-(4-phenylpiperidino)cyclohexanol (AH5183) and barium ions on frog neuromuscular transmission. 671

MAERTENS DE NOORDHOUT A. *see* DAY B.L., DRESSLER D., MAERTENS DE NOORDHOUT A., MARSDEN C.D., ROTHWELL J.C. & THOMPSON P.D. Magnetic stimulation of the human brain can activate different neuronal elements when the magnetic field direction is reversed. (C) 46*P*

MALBERT C.H. & RUCKEBUSCH Y. Gastroduodenal motor activity associated with gastric emptying rate in sheep. 227

MARPLE-HORVAT D.E. *see* AMOS A., ARMSTRONG D.M. & MARPLE-HORVAT D.E. Servo-controlled tracking of awake free-to-move cats. (D) 5*P*

MARSDEN C.D. *see* DAY B.L., DRESSLER D., MAERTENS DE NOORDHOUT A., MARSDEN C.D., ROTHWELL J.C. & THOMPSON P.D. Magnetic stimulation of the human brain can activate different neuronal elements when the magnetic field direction is reversed. (C) 46*P*

MATTHEWS B. *see* CRAPPER J.E., MATTHEWS B. & WALTERS A.S. Sensory responses evoked by thermal stimulation of human teeth. (D) 18*P*

MATTHEWS B. *see* BOISSONADE F. & MATTHEWS B. A technique for chronic recording from trigeminal brain-stem neurones in the cat. (D) 19*P*

MATTHEWS B. *see* BANKS D. & MATTHEWS B. The use of microwires for chronic recording from the thalamus in cats. (D) 20*P*

MATTHEWS B. *see* HUGHES S.H.S., KRAIVAPHAN P. & MATTHEWS B. The effect of neonatal capsaicin treatment on the innervation of the pulp of rat incisors. (C) 40*P*

MATTHEWS H.R. *see* LAMB T.D. & MATTHEWS H.R. Differential effects of the incorporation of ATP-analogues into rod photoreceptors isolated from the tiger salamander. (C) 94*P*

MATTHEWS P.B.C. & MILES T.S. Is the 'let go' response of the human flexor digitorum profundus due to stretch of its antagonists? (C) 49*P*

MERCURI N.B. *see* LACEY M.G., MERCURI N.B. & NORTH R.A. On the potassium conductance increase activated by $GABA_B$ and dopamine D_2 receptors in rat substantia nigra neurones. 437

MILES T.S. *see* MATTHEWS P.B.C. & MILES T.S. Is the 'let go' response of the human flexor digitorum profundus due to stretch of its antagonists? (C) 49*P*

MILLER D.J. *see* HARRISON S.M., LAMONT Christine & MILLER D.J. Hysteresis and the length dependence of calcium sensitivity in chemically skinned rat cardiac muscle. 115

MILTON R.L. *see* CALDWELL J.H. & MILTON R.L. Sodium channel distribution in normal and denervated rodent and snake skeletal muscle. 145

MIR A.K. *see* MCQUEEN D.S. & MIR A.K. Involvement of 5-HT_3 receptors in responses of cat carotid body chemoreceptors to phenylbiguanide. (C) 86*P*

MOBBS Peter *see* COOK Alison & MOBBS Peter Application of FITC-peroxidase to optic nerve identifies viable ganglion cells in slice and isolated cell preparations of the tiger salamander retina. (D) 8*P*

MOLLOY J.E. A computer-controlled 'black box' to mimic a non-myelinated giant nerve fibre for class use. (D) 12*P*

MULRINE N.K. & OGDEN D.C. The equilibrium open probability of nicotinic ion channels at the rat skeletal neuromuscular junction *in vitro*. (C) 95*P*

MUNSON J.B. *see* KIRKWOOD P.A., MUNSON J.B. & WESTGAARD R.H. Initial doublets in inspiratory discharges of thoracic motoneurones in the cat. (C) 43*P*

MUSCHOLL E. *see* HABERMEIER-MUTH Alice & MUSCHOLL E. Short- and long-latency muscarinic inhibition of noradrenaline release from rabbit atria induced by vagal stimulation. 277

NEWTON J.P. *see* CADDEN S.W. & NEWTON J.P. A reflex evoked by perioral stimuli in man. (C) 51*P*

NIKOLARAKIS K.E. *see* ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGHJI D.J.S. Stimulation of methionine-enkephalin (ENK) and dynorphin (DYN) release in the neostriatum of male Wistar rats by corticotrophin-releasing factor (CRF) both *in vitro* and *in vivo*. (C) 32*P*

NOIREAUD J. *see* LÉOTY C. & NOIREAUD J. Effects of caffeine and holding potential on the depolarization-contraction relationship in isolated rat soleus fibres. (C) 79*P*

NORTH R.A. *see* LACEY M.G., MERCURI N.B. & NORTH R.A. On the potassium conductance increase activated by $GABA_B$ and dopamine D_2 receptors in rat substantia nigra neurones. 437

NYE P.C.G. *see* BURGER R.E., ESTAVILLO J.A., KUMAR P., NYE P.C.G. & PATERSON D.J. Effects of potassium, oxygen and carbon dioxide on the steady-state discharge of cat carotid body chemoreceptors. 519

OGDEN D.C. *see* MULRINE N.K. & OGDEN D.C. The equilibrium open probability of nicotinic ion channels at the rat skeletal neuromuscular junction *in vitro*. (C) 95*P*

OGURA A. *see* HICKS T.P., KUDO Y., OGURA A. & TAKEDA K. A new method for the measurement of concentrations of intracellular Ca^{2+} in CNS preparations *in situ*. (C) 63*P*

OHASHI H. *see* KOMORI S. & OHASHI H. Some membrane properties of the circular muscle of chicken rectum and its non-adrenergic non-cholinergic innervation. 417

OLPE H. *see* BRUGGER F., EVANS R.H. & OLPE H. The effects of excitatory amino acid antagonists and capsaicin on spinal reflexes of the rodent recorded *in vitro*. (C) 59*P*

O'NEILL S.C. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The effects of glucose removal and cyanide on intracellular Ca^{2+} in isolated, single mouse dorsal root ganglion cells. (C) 60*P*

PARSONS Chris G. *see* DONG Xiaowei, HARTELL Nick A., HEADLEY P. Max, PARSONS Chris G. & WEST David C. Spinal sensory processing in the rat *in vivo*: on-line analysis of somatosensory responses elicited by electronically controlled stimulation devices. (D) 25*P*

PATERSON D.J. *see* BURGER R.E., ESTAVILLO J.A., KUMAR P., NYE P.C.G. & PATERSON D.J. Effects of potassium, oxygen and carbon dioxide on the steady-state discharge of cat carotid body chemoreceptors. 519

PEARSON Debra *see* BHARALI Louisa A.M., BURGESS S.A., LISNEY S.J.W. & PEARSON Debra Use of a dental impression technique for recording the numbers of sweat glands on the rat hind paw. (D) 14*P*

PEARSON H.A. *see* BARRETT J.S., PEARSON H.A. & W.-WRAY D. Non-competitive antagonism of calcium by magnesium at the mouse neuromuscular junction *in vitro*. (C) 91*P*

PERES Antonio, STURANI Emmapaola & ZIPPEL Renata Properties of the voltage-dependent calcium channel of mouse Swiss 3T3 fibroblasts. 639

PERKINS M.N. *see* BETTANEY J., DRAY A. & PERKINS M.N. Selective and non-selective actions of capsaicin on afferent fibres of the neonatal rat spinal cord-tail preparation *in vitro*. (C) 58*P*

PHILLIPSON O.T. *see* CORNWALL J. & PHILLIPSON O.T. A method for the multiple retrograde labelling of cortical projection neurones in CNS in the rat. (D) 24*P*

PHILLIPSON O.T. *see* CORNWALL J. & PHILLIPSON O.T. Afferent projections to the medial pretectum in the rat. (C) 56*P*

PHILLIPSON O.T. *see* JONES M.W., KILPATRICK I.C. & PHILLIPSON O.T. Regulation of dopamine function in the nucleus accumbens by midline thalamic nuclei in the rat. (C) 73*P*

POGGIOLI J. *see* LEGSSYER A., POGGIOLI J., RENARD D. & VASSORT G. ATP and other adenine compounds increase mechanical activity and inositol trisphosphate production in rat heart. 185

POZO M.A. *see* BELMONTE C., GALLAR J., POZO M.A. & REBOLLO I. Effects of capsaicin on the neural discharge of corneal sensory fibres in the anaesthetized cat. (C) 57*P*

RANATUNGA K.W. & THOMAS P.E. A lever system for recording shortening and tension development in rat muscle. (D) 9*P*

RANATUNGA K.W. *see* FORTUNE N.S., GEEVES M.A. & RANATUNGA K.W. The effects of hydrostatic pressure on glycerinated, rabbit, muscle fibre tension. (D) 10*P*

REBOLLO I. *see* BELMONTE C., GALLAR J., POZO M.A. & REBOLLO I. Effects of capsaicin on the neural discharge of corneal sensory fibres in the anaesthetized cat. (C) 57*P*

REDHEAD C.R. Ionic regulation of intracellular pH in rat calvarial osteoblasts. 455

REEH P. *see* LAWSON S.N., MCCARTHY P.W., REEH P. & WADDELL P.J. An *in vitro* rat sensory ganglion-nerve and skin preparation which allows a direct comparison of cell body and receptor properties. (D) 11*P*

REES L.H. *see* BESSER G.M., GROSSMAN A., REES L.H. & TSAGARAKIS S. Effects of acetylcholine and noradrenaline on immunoreactive CRF-41 release from incubated rat hypothalamic fragments *in vitro*. (C) 37*P*

RENARD D. *see* LEGSSYER A., POGGIOLI J., RENARD D. & VASSORT G. ATP and other adenine compounds increase mechanical activity and inositol trisphosphate production in rat heart. 185

RIBCHESTER Richard R. Activity-dependent and -independent synaptic interactions during reinnervation of partially denervated rat muscle. 53

RIDDELL J.S. *see* FERN R., HARRISON P.J. & RIDDELL J.S. The rostral projection of the interneurones mediating group I non-reciprocal inhibition of motoneurones of the cat hindlimb. (C) 42*P*

RIDDELL J.S. *see* FERN R., HARRISON P.J. & RIDDELL J.S. The dorsal column projection of muscle afferent fibres from the cat hindlimb. 97

RIDGE R.M.A.P. *see* GATES H.-J., GOOCH Jennifer, RIDGE R.M.A.P. & ROWLERSON A. The development of homogeneous IIB motor units in a rat lumbrical muscle (isolated preparation). (D) 21*P*

RIDGE R.M.A.P. *see* BURKE Penelope, RIDGE R.M.A.P. & WEEDON M.C. The sprouting of single motor units in partially denervated rat lumbrical muscles. (D) 22*P*

ROBBINS P.A. Evidence for interaction between the contributions to ventilation from the central and peripheral chemoreceptors in man. 503

ROBERTS Alan *see* BOOTHBY Kate M. & ROBERTS Alan Descending GABA neurones inhibit swimming in the amphibian embryo, *Xenopus laevis*. (C) 38*P*

ROBINSON A.J. & TUFFT N.R. Fibrillation in denervated rat and guinea-pig muscle. (D) 13*P*

ROBINSON Iain C.A.F. *see* FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Effects of adrenalectomy and glucocorticoids on the peptides CRF-41, AVP and oxytocin in rat hypophysial portal blood. 329

ROBINSON P.P. The properties and functional distribution of chorda tympani nerve fibres in the cat. (C) 93*P*

ROBSON Lesley G. *see* LAKIE M. & ROBSON Lesley G. A time-dependent property of relaxed frog muscle *in vitro*. (C) 80*P*

RODRIGO Glenn C. *see* CHAPMAN R.A. & RODRIGO Glenn C. Calcium paradox in isolated guinea-pig ventricular myocytes: attempts to determine the dependence of the calcium-repletion contracture on the membrane potential during the calcium-free period. (D) 26*P*

ROSENBERG J.R. *see* BAXENDALE R.H., FERRELL W.R., HALLIDAY D.M., ROSENBERG J.R. & WOOD L. Joint afferent contributions to motor-unit firing in decerebrate cats. (C) 41*P*

ROTHWELL J.C. *see* DAY B.L., DRESSLER D., MAERTENS DE NOORDHOUT A., MARSDEN C.D., ROTHWELL J.C. & THOMPSON P.D. Magnetic stimulation of the human brain can activate different neuronal elements when the magnetic field direction is reversed. (C) 46*P*

ROWLERSON A. *see* GATES H.-J., GOOCH Jennifer, RIDGE R.M.A.P. & ROWLERSON A. The development of homogeneous IIB motor units in a rat lumbrical muscle (isolated preparation). (D) 21*P*

RUCKEBUSCH Y. *see* MALBERT C.H. & RUCKEBUSCH Y. Gastroduodenal motor activity associated with gastric emptying rate in sheep. 227

RUSSELL J.A. *see* COOMBES J.E. & RUSSELL J.A. Inhibition by a kappa-opioid receptor agonist (U50, 488H) of electrically-stimulated oxytocin secretion from the neurohypophysis in anaesthetized lactating rats. (C) 34*P*

RUSSELL J.A. *see* BICKNELL R.J., COOMBES J.E., FINK G., RUSSELL J.A. & SHEWARD W.J. Effects of naloxone and long-term morphine administration on oxytocin release into hypophysial portal blood in urethane-anaesthetized rats. (C) 35*P*

SACCO P. *see* COLLINS K.J., EASTON J.C. & SACCO P. Cardiovascular responses to facial cooling with different body-surface temperatures in young and elderly human subjects. (C) 83*P*

SANN H. *see* CERVERO F. & SANN H. An *in vitro* preparation for recording single-unit activity from afferent fibres innervating the guinea-pig's ureter. (D) 3*P*

SCHWINING C. *see* ASHMORE J.F., LEWIS D.M. & SCHWINING C. Use of BBC Master microcomputer and Unilab interface in electrophysiological experiments for class use. (D) 7*P*

SCRATCHERD T. *see* GILLESPIE J.I., GREENWELL J.R. & SCRATCHERD T. The actions of H^+ on intracellular calcium $[Ca^{2+}]_i$ in isolated rat pancreatic acinar cells during prolonged exposure to acetylcholine (ACh). (C) 90*P*

SEYAMA Issei & YAMAOKA Kaoru A study of the electrical characteristics of sodium currents in single ventricular cells of the frog. 257

SHAHANI U. *see* LOWRIE M.B. & SHAHANI U. The impairment of developing fast muscles after nerve injury in the rat depends upon the length of time they are separated from their nerves. (C) 75*P*

SHARKEY Keith A. *see* CERVERO Fernando & SHARKEY Keith A. An electrophysiological and anatomical study of intestinal afferent fibres in the rat. 381

SHEWARD W.J. *see* BICKNELL R.J., COOMBES J.E., FINK G., RUSSELL J.A. & SHEWARD W.J. Effects of naloxone and long-term morphine administration on oxytocin release into hypophysial portal blood in urethane-anaesthetized rats. (C) 35*P*

SHIBUKI K. *see* DYBALL R.E.J., GROSSMANN R., LENG G. & SHIBUKI K. Spike propagation and conduction failure in the rat neural lobe. 241

SHIBUYA Yuzo *see* MAENO Takashi & SHIBUYA Yuzo Effects of 2-(4-phenylpiperidino)cyclohexanol (AH5183) and barium ions on frog neuromuscular transmission. 671

SIRINATHSINGHJI D.J.S. *see* ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGHJI D.J.S. Stimulation of methionine-enkephalin (ENK) and dynorphin (DYN) release in the neostriatum of male Wistar rats by corticotrophin-releasing factor (CRF) both *in vitro* and *in vivo*. (C) 32*P*

SIRINATHSINGHJI D.J.S. *see* DIEZ-GUERRA F.J., EMSON P.C. & SIRINATHSINGHJI D.J.S. Stimulation of the *in vivo* release of neurokinin A-like immunoreactivity (NKA-LI) in the rat substantia nigra by picrotoxin. (C) 45*P*

SKORUPSKI P. Positive and negative feed-back reflexes from a crayfish muscle receptor. (C) 39*P*

SMITH G.L. *see* ALLEN D.G., LEE J.A. & SMITH G.L. The effects of simulated ischaemia on intracellular calcium and tension in isolated ferret ventricular muscle. (C) 81*P*

SMITH Margaret E. *see* HUGHES Sharon & SMITH Margaret E. β-Endorphin and α-melanotropin immunoreactivity in motoneurones *in vitro* of mice with motoneurone disease. (C) 64*P*

SMITH M.W. *see* JAMES P.S., SMITH M.W. & TIVEY D.R. Single-villus analysis of disaccharidase expression by different regions of the mouse intestine. 533

SOLTESZ I. *see* CRUNELLI V., LIGHTOWLER S. & SOLTESZ I. The late K^+ dependent IPSP is a $GABA_B$-mediated synaptic potential: evidence from rat and cat central neurones *in vitro*. (C) 68*P*

SOMJEN G.G. *see* DUCHEN M.R. & SOMJEN G.G. Effects of cyanide and low glucose on the membrane currents of dissociated mouse primary sensory neurones. (C) 61*P*

STEPHENS J.A. *see* DATTA A.K., HARRISON Linda M. & STEPHENS J.A. Responses of a human hand muscle to cutaneous stimulation and magnetic brain stimulation, but not electrical brain stimulation, are task-dependent. (C) 47*P*

STEPHENS J.A. *see* EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Maturation of the cutaneomuscular reflex and the speed of finger movements studied in man. (C) 50*P*

STEWART G.W. Co-ordinated variations in chloride-dependent potassium transport and cell water in normal human erythrocytes. 1

STRICK P.L. *see* KUYPERS H.G.J.M., STRICK P.L. & UGOLINI G. Transneuronal labelling by means of Herpes Simplex Virus 1 in mice and rats. (C) 44*P*

STURANI Emmapaola *see* PERES Antonio, STURANI Emmapaola & ZIPPEL Renata Properties of the voltage-dependent calcium channel of mouse Swiss 3T3 fibroblasts. 639

SUNDLER F. *see* EKMAN R., EKSTRÖM J., HÅKANSON R., SUNDLER F. & TOBIN G. Effects of capsaicin on neuropeptides and secretory responses of rat parotid glands. (C) 33*P*

TAKEDA K. *see* HICKS T.P., KUDO Y., OGURA A. & TAKEDA K. A new method for the measurement of concentrations of intracellular Ca^{2+} in CNS preparations *in situ*. (C) 63*P*

TANNAHILL Lesley A. *see* FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Effects of adrenalectomy and glucocorticoids on the peptides CRF-41, AVP and oxytocin in rat hypophysial portal blood. 329

TAYLOR A. *see* DESSEM Dean & TAYLOR A. Morphology of jaw-elevator muscle spindle afferents in the rat. (C) 55*P*

TAYLOR J.S. *see* CLARKE R.W., FORD T.W. & TAYLOR J.S. Strychnine-sensitive inhibition of a flexor reflex by activation of ipsilateral cutaneous afferents in the rabbit. (C) 53*P*

TAYLOR S.J. *see* GREENFIELD S.A. & TAYLOR S.J. *In vivo* release of acetylcholinesterase from the guinea-pig substantia nigra in response to 5-hydroxytryptamine. (C) 70*P*

TESI C. *see* BAGNI M.A., CECCHI G., COLOMO F. & TESI C. Plateau and descending limb of the sarcomere length–tension relation in short length-clamped segments of frog muscle fibres. 581

THOMAS P.E. *see* RANATUNGA K.W. & THOMAS P.E. A lever system for recording shortening and tension development in rat muscle. (D) 9*P*

THOMPSON P.D. *see* DAY B.L., DRESSLER D., MAERTENS DE NOORDHOUT A., MARSDEN C.D., ROTHWELL J.C. & THOMPSON P.D. Magnetic stimulation of the human brain can activate different neuronal elements when the magnetic field direction is reversed. (C) 46*P*

TIVEY D.R. *see* JAMES P.S., SMITH M.W. & TIVEY D.R. Single-villus analysis of disaccharidase expression by different regions of the mouse intestine. 533

TOBIN G. *see* EKMAN R., EKSTRÖM J., HÅKANSON R., SUNDLER F. & TOBIN G. Effects of capsaicin on neuropeptides and secretory responses of rat parotid glands. (C) 33*P*

TSAGARAKIS S. *see* BESSER G.M., GROSSMAN A., REES L.H. & TSAGARAKIS S. Effects of acetylcholine and noradrenaline on immunoreactive CRF-41 release from incubated rat hypothalamic fragments *in vitro*. (C) 37*P*

TUFFT N.R. *see* ROBINSON A.J. & TUFFT N.R. Fibrillation in denervated rat and guinea-pig muscle. (D) 13*P*

TURNER D.L. *see* BUTLER P.J. & TURNER D.L. Effect of training on maximal oxygen uptake and aerobic capacity of locomotory muscles in tufted ducks, *Aythya fuligula*. 347

UGOLINI G. *see* KUYPERS H.G.J.M., STRICK P.L. & UGOLINI G. Transneuronal labelling by means of Herpes Simplex Virus 1 in mice and rats. (C) 44*P*

VALDEOLMILLOS M. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The effects of glucose removal and cyanide on intracellular Ca^{2+} in isolated, single mouse dorsal root ganglion cells. (C) 60*P*

VALLBO Åke B. *see* AL-FALAHE Najem A. & VALLBO Åke B. Role of the human fusimotor system in a motor adaptation task. 77

VAN HELDEN D.F. Electrophysiology of neuromuscular transmission in guinea-pig mesenteric veins. 469

VAN HELDEN D.F. An α-adrenoceptor-mediated chloride conductance in mesenteric veins of the guinea-pig. 489

VASSORT G. *see* LEGSSYER A., POGGIOLI J., RENARD D. & VASSORT G. ATP and other adenine compounds increase mechanical activity and inositol trisphosphate production in rat heart. 185

VRBOVÁ G. *see* GREENSMITH L., LEHOUELLEUR J. & VRBOVÁ G. The effect of early muscle paralysis on the distribution of innervation in the newborn rat. (C) 52*P*

VRBOVÁ G. *see* CONNOLD A.L., KAMEL S., VRBOVÁ G. & ZAK R. Loss of activity alters myosin expression in chicken ALD muscle. (C) 76*P*

WADDELL P.J. *see* LAWSON S.N., MCCARTHY P.W., REEH P. & WADDELL P.J. An *in vitro* rat sensory ganglion-nerve and skin preparation which allows a direct comparison of cell body and receptor properties. (D) 11*P*

WAKERLEY J.B. *see* DAVISON I., INGRAM C.D., JUSS T.S. & WAKERLEY J.B. Evidence that the paraventricular nucleus (PVN) plays a facilitatory role in the control of oxytocin pulse frequency in the suckled rat. (D) 28*P*

WAKERLEY J.B. *see* CUTLER K., INGRAM C.D. & WAKERLEY J.B. Effect of oxytocin (OT) on neuronal activity within the bed nucleus of the stria terminalis (BNST) of the rat *in vitro*. (C) 29*P*

WALRO Jon M. *see* KUCERA Jan & WALRO Jon M. Density and distribution of spindles in developing soleus muscles of the rat. (C) 78*P*

WALSH E.G. Thixotropy. Human observations (D) 27*P*

WALTERS A.S. *see* CRAPPER J.E., MATTHEWS B. & WALTERS A.S. Sensory responses evoked by thermal stimulation of human teeth. (D) 18*P*

WATERMAN A. *see* BOUCHENAFA O., LIVINGSTON A. & WATERMAN A. Autoradiographic localization of α_2-adrenoceptor agonists in sheep spinal cord following intrathecal administration. (C) 54*P*

WATTS Alison E. *see* LISNEY S.J.W., WATTS Alison E. & ZAKI H.M. What is the incidence of spontaneous activity among myelinated fibres trapped in neuromata of rat peripheral nerves? (D) 15*P*

WEEDON M.C. *see* BURKE Penelope, RIDGE R.M.A.P. & WEEDON M.C. The sprouting of single motor units in partially denervated rat lumbrical muscles. (D) 22*P*

WERNIG A. *see* HINZ I. & WERNIG A. Prolonged nerve stimulation causes changes in transmitter release at the frog neuromuscular junction. 557

WEST David C. *see* DONG Xiaowei, HARTELL Nick A., HEADLEY P. Max, PARSONS Chris G. & WEST David C. Spinal sensory processing in the rat *in vivo*: on-line analysis of somatosensory responses elicited by electronically controlled stimulation devices. (D) 25*P*

WESTGAARD R.H. *see* KIRKWOOD P.A., MUNSON J.B. & WESTGAARD R.H. Initial doublets in inspiratory discharges of thoracic motoneurones in the cat. (C) 43*P*

WILLIAMS J.T. *see* CHERUBINI E. & WILLIAMS J.T. Nifedipine-sensitive calcium current in rat locus coeruleus neurones *in vitro*. (C) 66*P*

WILLIS C.L. *see* EDMONDS C.J. & WILLIS C.L. Potassium secretion by rat distal colon during acute potassium loading: effect of sodium, potassium intake and aldosterone. 39

WOOD L. *see* BAXENDALE R.H.. FERRELL W.R., HALLIDAY D.M., ROSENBERG J.R. & WOOD L. Joint afferent contributions to motor-unit firing in decerebrate cats. (C) 41*P*

WORLEY R.T.S. *see* CHALLIS J.R. & WORLEY R.T.S. The 'flat-cap' perifusion method for isolated mammalian seminiferous tubules. (D) 23*P*

WRAY Susan The effects of cyanide on intracellular pH and metabolites in isolated rat uterus. (C) 82*P*

W.-WRAY D. *see* BARRETT J.S., PEARSON H.A. & W.-WRAY D. Non-competitive antagonism of calcium by magnesium at the mouse neuromuscular junction *in vitro*. (C) 91*P*

YAMAOKA Kaoru *see* SEYAMA Issei & YAMAOKA Kaoru A study of the electrical characteristics of sodium currents in single ventricular cells of the frog. 257

ZAK R. *see* CONNOLD A.L., KAMEL S., VRBOVÁ G. & ZAK R. Loss of activity alters myosin expression in chicken ALD muscle. (C) 76*P*

ZAKI H.M. *see* LISNEY S.J.W., WATTS Alison E. & ZAKI H.M. What is the incidence of spontaneous activity among myelinated fibres trapped in neuromata of rat peripheral nerves? (D) 15*P*

ZAR M.A. *see* IRAVANI M.M., LUHESHI G.N. & ZAR M.A. Inhibition of non-cholinergic motor transmission in isolated rat urinary bladder by nifedipine. (C) 69*P*

ZIPPEL Renata *see* PERES Antonio, STURANI Emmapaola & ZIPPEL Renata Properties of the voltage-dependent calcium channel of mouse Swiss 3T3 fibroblasts. 639

CONTENTS OF VOLUME 401

July 1988

STEWART G.W. Co-ordinated variations in chloride-dependent potassium transport and cell water in normal human erythrocytes. 1

ALLESCHER H.-D., DANIEL E.E., DENT J., FOX J.E.T. & KOSTOLANSKA F. Extrinsic and intrinsic neural control of pyloric sphincter pressure in the dog. 17

EDMONDS C.J. & WILLIS C.L. Potassium secretion by rat distal colon during acute potassium loading: effect of sodium, potassium intake and aldosterone. 39

RIBCHESTER Richard R. Activity-dependent and -independent synaptic interactions during reinnervation of partially denervated rat muscle. 53

AL-FALAHE Najem A. & VALLBO Åke B. Role of the human fusimotor system in a motor adaptation task. 77

FERN R., HARRISON P.J. & RIDDELL J.S. The dorsal column projection of muscle afferent fibres from the cat hindlimb. 97

HARRISON S.M., LAMONT Christine & MILLER D.J. Hysteresis and the length dependence of calcium sensitivity in chemically skinned rat cardiac muscle. 115

CALDWELL J.H. & MILTON R.L. Sodium channel distribution in normal and denervated rodent and snake skeletal muscle. 145

CECCARELLI Bruno, FESCE Riccardo, GROHOVAZ Fabio & HAIMANN Claudia The effect of potassium on exocytosis of transmitter at the frog neuromuscular junction. 163

LEGSSYER A., POGGIOLI J., RENARD D. & VASSORT G. ATP and other adenine compounds increase mechanical activity and inositol trisphosphate production in rat heart. 185

ARGIBAY Jorge A., FISCHMEISTER Rodolphe & HARTZELL H. Criss Inactivation, reactivation and pacing dependence of calcium current in frog cardiocytes: correlation with current density. 201

MALBERT C.H. & RUCKEBUSCH Y. Gastroduodenal motor activity associated with gastric emptying rate in sheep. 227

DYBALL R.E.J., GROSSMANN R., LENG G. & SHIBUKI K. Spike propagation and conduction failure in the rat neural lobe. 241

SEYAMA Issei & YAMAOKA Kaoru A study of the electrical characteristics of sodium currents in single ventricular cells of the frog. 257

HABERMEIER-MUTH Alice & MUSCHOLL E. Short- and long-latency muscarinic inhibition of noradrenaline release from rabbit atria induced by vagal stimulation. 277

ABBOUD Francois M. & CHAPLEAU Mark W. Effects of pulse frequency on single-unit baroreceptor activity during sine-wave and natural pulses in dogs. 295

BAUER Paul J. Evidence for two functionally different membrane fractions in bovine retinal rod outer segments. 309

FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Effects of adrenalectomy and glucocorticoids on the peptides CRF-41, AVP and oxytocin in rat hypophysial portal blood. 329

BUTLER P.J. & TURNER D.L. Effect of training on maximal oxygen uptake and aerobic capacity of locomotory muscles in tufted ducks, *Aythya fuligula*. 347

FRIEL David D. An ATP-sensitive conductance in single smooth muscle cells from the rat vas deferens. 361

CERVERO Fernando & SHARKEY Keith A. An electrophysiological and anatomical study of intestinal afferent fibres in the rat. 381

EDGLEY S.A. & LIDIERTH M. Step-related discharges of Purkinje cells in the paravermal cortex of the cerebellar anterior lobe in the cat. 399

KOMORI S. & OHASHI H. Some membrane properties of the circular muscle of chicken rectum and its non-adrenergic non-cholinergic innervation. 417

LACEY M.G., MERCURI N.B. & NORTH R.A. On the potassium conductance increase activated by $GABA_B$ and dopamine D_2 receptors in rat substantia nigra neurones. 437

REDHEAD C.R. Ionic regulation of intracellular pH in rat calvarial osteoblasts. 455

VAN HELDEN D.F. Electrophysiology of neuromuscular transmission in guinea-pig mesenteric veins. 469

VAN HELDEN D.F. An α-adrenoceptor-mediated chloride conductance in mesenteric veins of the guinea-pig. 489

ROBBINS P.A. Evidence for interaction between the contributions to ventilation from the central and peripheral chemoreceptors in man. 503

BURGER R.E., ESTAVILLO J.A., KUMAR P., NYE P.C.G. & PATERSON D.J. Effects of potassium, oxygen and carbon dioxide on the steady-state discharge of cat carotid body chemoreceptors. 519

JAMES P.S., SMITH M.W. & TIVEY D.R. Single-villus analysis of disaccharidase expression by different regions of the mouse intestine. 533

GARLAND S. Jayne, GARNER S.H. & MCCOMAS A.J. Reduced voluntary electromyographic activity after fatiguing stimulation of human muscle. 547

HINZ I. & WERNIG A. Prolonged nerve stimulation causes changes in transmitter release at the frog neuromuscular junction. 557

BENNETT Max R. & LAVIDIS Nickolas A. Quantal secretion at release sites of nerve terminals in toad (*Bufo marinus*) muscle during formation of topographical maps. 567

BAGNI M.A., CECCHI G., COLOMO F. & TESI C. Plateau and descending limb of the sarcomere length–tension relation in short length-clamped segments of frog muscle fibres. 581

MACKEL Robert Conduction of neural impulses in human mechanoreceptive cutaneous afferents. 597

GONOI Tohru & HASEGAWA Shuji Post-natal disappearance of transient calcium channels in mouse skeletal muscle: effects of denervation and culture. 617

PERES Antonio, STURANI Emmapaola & ZIPPEL Renata Properties of the voltage-dependent calcium channel of mouse Swiss 3T3 fibroblasts. 639

ÅSTRAND Per, BROCK James A. & CUNNANE Thomas C. Time course of transmitter action at the sympathetic neuroeffector junction in rodent vascular and non-vascular smooth muscle. 657

MAENO Takashi & SHIBUYA Yuzo Effects of 2-(4-phenylpiperidino)cyclohexanol (AH5183) and barium ions on frog neuromuscular transmission. 671

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

12–13 *February* 1988

Bristol Meeting

DEMONSTRATIONS

Laird J.M.A. A preparation to study the responses of rat dorsal horn neurones to a prolonged noxious pinch of the tail. 2*P*

Cervero F. & Sann H. An *in vitro* preparation for recording single-unit activity from afferent fibres innervating the guinea-pig's ureter. 3*P*

Levi Allan J. An experimental chamber for isolated cell experiments with minimal temperature gradients. 4*P*

Amos A., Armstrong D.M. & Marple-Horvat D.E. Servo-controlled tracking of awake free-to-move cats. 5*P*

Ashmore J.F. & Lewis D.M. Simple computer-driven psychophysical experiments for class use. 6*P*

Ashmore J.F., Lewis D.M. & Schwining C. Use of BBC Master microcomputer and Unilab interface in electrophysiological experiments for class use. 7*P*

Cook Alison & Mobbs Peter Application of FITC-peroxidase to optic nerve identifies viable ganglion cells in slice and isolated cell preparations of the tiger salamander retina. 8*P*

Ranatunga K.W. & Thomas P.E. A lever system for recording shortening and tension development in rat muscle. 9*P*

Fortune N.S., Greeves M.A. & Ranatunga K.W. The effects of hydrostatic pressure on glycerinated, rabbit, muscle fibre tension. 10*P*

Lawson S.N., McCarthy P.W., Reeh P. & Waddell P.J. An *in vitro* rat sensory ganglion-nerve and skin preparation which allows a direct comparison of cell body and receptor properties. 11*P*

Molloy J.E. A computer-controlled 'black box' to mimic a non-myelinated giant nerve fibre for class use. 12*P*

Robinson A.J. & Tufft N.R. Fibrillation in denervated rat and guinea-pig muscle. 13*P*

Bharali Louisa A.M., Burgess S.A., Lisney S.J.W. & Pearson Debra Use of a dental impression technique for recording the numbers of sweat glands on the rat hind paw. 14*P*

Lisney S.J.W., Watts Alison E. & Zaki H.M. What is the incidence of spontaneous activity among myelinated fibres trapped in neuromata of rat peripheral nerves? 15*P*

Ashmore J.F. An application of digital image processing to the measurement of movement in cochlear hair cells. 16*P*

Holley M.C. A micro-purification procedure for outer hair cells from the guinea-pig cochlea. 17*P*

Crapper J.E., Matthews B. & Walters A.S. Sensory responses evoked by thermal stimulation of human teeth. 18*P*

Boissonade F. & Matthews B. A technique for chronic recording from trigeminal brain-stem neurones in the cat. 19*P*

Banks D. & Matthews B. The use of microwires for chronic recording from the thalamus in cats. 20*P*

Gates H.-J., Gooch Jennifer, Ridge R.M.A.P. & Rowlerson A. The development of homogeneous IIB motor units in a rat lumbrical muscle (isolated preparation). 21*P*

Burke Penelope, Ridge R.M.A.P. & Weedon M.C. The sprouting of single motor units in partially denervated rat lumbrical muscles. 22*P*

Challis J.R. & Worley R.T.S. The 'flat-cap' perifusion method for isolated mammalian seminiferous tubules. 23*P*

Cornwall J. & Phillipson O.T. A method for the multiple retrograde labelling of cortical projection neurones in CNS in the rat. 24*P*

Dong Xiaowei, Hartell Nick A., Headley P. Max, Parsons Chris G. & West David C. Spinal sensory processing in the rat *in vivo*: on-line analysis of somatosensory responses elicited by electronically controlled stimulation devices. 25*P*

Chapman R.A. & Rodrigo Glenn C. Calcium paradox in isolated guinea-pig ventricular myocytes: attempts to determine the dependence of the calcium-repletion contracture on the membrane potential during the calcium-free period. 26*P*

Walsh E.G. Thixotropy. Human observations. 27P

Davison I., Ingram C.D., Juss T.S. & Wakerley J.B. Evidence that the paraventricular nucleus (PVN) plays a facilitatory role in the control of oxytocin pulse frequency in the suckled rat. 28P

COMMUNICATIONS

Cutler K., Ingram C.D. & Wakerley J.B. Effect of oxytocin (OT) on neuronal activity within the bed nucleus of the stria terminalis (BNST) of the rat *in vitro*. 29P

Lovick T.A. Inhibitory influence of volume loading on paraventriculo-spinal neurones in the rat. 30P

Chaudhry M.A., Dyball R.E.J. & Honda K. Evidence for complex interaction between the supraoptic nucleus and the AV3V region of the rat in osmotic regulation. 31P

Almeida O.F.X., Herz A., Nikolarakis K.E. & Sirinathsinghji D.J.S. Stimulation of methionine-enkephalin (ENK) and dynorphin (DYN) release in the neostriatum of male Wistar rats by corticotrophin-releasing factor (CRF) both *in vitro* and *in vivo*. 32P

Ekman R., Ekström J., Håkanson R., Sundler F. & Tobin G. Effects of capsaicin on neuropeptides and secretory responses of rat parotid glands. 33P

Coombes J.E. & Russell J.A. Inhibition by a kappa-opioid receptor agonist (U50, 488H) of electrically-stimulated oxytocin secretion from the neurohypophysis in anaesthetized lactating rats. 34P

Bicknell R.J., Coombes J.E., Fink G., Russell J.A. & Sheward W.J. Effects of naloxone and long-term morphine administration on oxytocin release into hypophysial portal blood in urethane-anaesthetized rats. 35P

Hodgkiss J.P. & Kelly J.S. Electrophysiological and morphological studies of preoptic area (POA) neurones transplanted into the third ventricle of the hypogonadal mouse. 36P

Besser G.M., Grossman A., Rees L.H. & Tsagarakis S. Effects of acetylcholine and noradrenaline on immunoreactive CRF-41 release from incubated rat hypothalamic fragments *in vitro*. 37P

Boothby Kate M. & Roberts Alan Descending GABA neurones inhibit swimming in the amphibian embryo, *Xenopus laevis*. 38P

Skorupski P. Positive and negative feed-back reflexes from a crayfish muscle receptor. 39P

Hughes S.H.S., Kraivaphan P. & Matthews B. The effect of neonatal capsaicin treatment on the innervation of the pulp of rat incisors. 40P

Baxendale R.H., Ferrell W.R., Halliday D.M., Rosenberg J.R. & Wood L. Joint afferent contributions to motor-unit firing in decerebrate cats. 41P

Fern R., Harrison P.J. & Riddell J.S. The rostral projection of the interneurones mediating group I non-reciprocal inhibition of motoneurones of the cat hindlimb. 42P

Kirkwood P.A., Munson J.B. & Westgaard R.H. Initial doublets in inspiratory discharges of thoracic motoneurones in the cat. 43P

Kuypers H.G.J.M., Strick P.L. & Ugolini G. Transneuronal labelling by means of Herpes Simplex Virus 1 in mice and rats. 44P

Diez-Guerra F.J., Emson P.C. & Sirinathsinghji D.J.S. Stimulation of the *in vivo* release of neurokinin A-like immunoreactivity (NKA-LI) in the rat substantia nigra by picrotoxin. 45P

Day B.L., Dressler D., Maertens de Noordhout A., Marsden C.D., Rothwell J.C. & Thompson P.D. Magnetic stimulation of the human brain can activate different neuronal elements when the magnetic field direction is reversed. 46P

Datta A.K., Harrison Linda M. & Stephens J.A. Responses of a human hand muscle to cutaneous stimulation and magnetic brain stimulation, but not electrical brain stimulation, are task-dependent. 47P

Burke D., Gandevia S.C., Macefield G. & McKenzie D.K. Discharge of human motor axons recorded proximal to a complete block of the ulnar nerve.

Matthews P.B.C. & Miles T.S. Is the 'let go' response of the human flexor digitorum profundus due to stretch of its antagonists? 49P

Evans A.L., Harrison Linda M. & Stephens J.A. Maturation of the cutaneomuscular reflex and the speed of finger movements studied in man. 50P

Cadden S.W. & Newton J.P. A reflex evoked by perioral stimuli in man. 51P

Greensmith L., LeHouelleur J. & Vrbová G. The effect of early muscle paralysis on the distribution of innervation in the newborn rat. 52P

Clarke R.W., Ford T.W. & Taylor J.S. Strychnine-sensitive inhibition of a flexor reflex by activation of ipsilateral cutaneous afferents in the rabbit. 53*P*

Bouchenafa O., Livingston A. & Waterman A. Autoradiographic localization of α_2-adrenoceptor agonists in sheep spinal cord following intrathecal administration. 54*P*

Dessem Dean & Taylor A. Morphology of jaw-elevator muscle spindle afferents in the rat. 55*P*

Cornwall J. & Phillipson O.T. Afferent projections to the medial pretectum in the rat. 56*P*

Belmonte C., Gallar J., Pozo M.A. & Rebollo I. Effects of capsaicin on the neural discharge of corneal sensory fibres in the anaesthetized cat. 57*P*

Bettaney J., Dray A. & Perkins M.N. Selective and non-selective actions of capsaicin on afferent fibres of the neonatal rat spinal cord-tail preparation *in vitro*. 58*P*

Brugger F., Evans R.H. & Olpe H. The effects of excitatory amino acid antagonists and capsaicin on spinal reflexes of the rodent recorded *in vitro*. 59*P*

Biscoe T.J., Duchen M.R., Eisner D.A., O'Neill S.C. & Valdeolmillos M. The effects of glucose removal and cyanide on intracellular Ca^{2+} in isolated, single mouse dorsal root ganglion cells. 60*P*

Duchen M.R. & Somjen G.G. Effects of cyanide and low glucose on the membrane currents of dissociated mouse primary sensory neurones. 61*P*

Cadden S.W. The ability of inhibitory controls to 'switch off' the responses of dorsal horn convergent neurones to sustained noxious mechanical stimuli in the rat. 62*P*

Hicks T.P., Kudo Y., Ogura A. & Takeda K. A new method for the measurement of concentrations of intracellular Ca^{2+} in CNS preparations *in situ*. 63*P*

Hughes Sharon & Smith Margaret E. β-Endorphin and α-melanotropin immunoreactivity in motoneurones *in vitro* of mice with motoneurone disease. 64*P*

Ewart Wendy R., Jones M.V. & King B.F. Localization and distribution of brainstem efferent vagal neurones projecting to the rat stomach. 65*P*

Cherubini E. & Williams J.T. Nifedipine-sensitive calcium current in rat locus coeruleus neurones *in vitro*. 66*P*

Allerton C.A., Boden P.R. & Hill R.G. (−)Baclofen has a hyperpolarizing action on neurones in rat spinal dorsal horn *in vitro*. 67*P*

Crunelli V., Lightowler S. & Soltesz I. The late K^+ dependent IPSP is a $GABA_B$-mediated synaptic potential: evidence from rat and cat central neurones *in vitro*. 68*P*

Iravani M.M., Luheshi G.N. & Zar M.A. Inhibition of non-cholinergic motor transmission in isolated rat urinary bladder by nifedipine. 69*P*

Greenfield S.A. & Taylor S.J. *In vivo* release of acetylcholinesterase from the guinea-pig substantia nigra in response to 5-hydroxytryptamine. 70*P*

Coan E.J. & Collingridge G.L. Perfusion with Mg^{2+}-free medium can reversibly prevent the induction of LTP in rat hippocampus *in vitro*. 71*P*

Alford S.T., Coan E.J., Collingridge G.L., Davies S.N. & Lester R.A.J. Voltage-dependent block of synaptic responses by ketamine in rat hippocampus *in vitro*. 72*P*

Jones M.W., Kilpatrick I.C. & Phillipson O.T. Regulation of dopamine function in the nucleus accumbens by midline thalamic nuclei in the rat. 73*P*

Al-Amood W.S. The response of rat soleus muscle to chronic phasic stimulation in the presence of the motoneurones. 74*P*

Lowrie M.B. & Shahani U. The impairment of developing fast muscles after nerve injury in the rat depends upon the length of time they are separated from their nerves. 75*P*

Connold A.L., Kamel S., Vrbová G. & Zak R. Loss of activity alters myosin expression in chicken ALD muscle. 76*P*

Brown Margaret D. & Hudlická Olga Effects of prolonged α_1-adrenoceptor blockade on β-adrenergic sensitivity of rat soleus muscle. 77*P*

Kucera Jan & Walro Jon M. Density and distribution of spindles in developing soleus muscles of the rat. 78*P*

Léoty C. & Noireaud J. Effects of caffeine and holding potential on the depolarization-contraction relationship in isolated rat soleus fibres. 79*P*

Lakie M. & Robson Lesley G. A time-dependent property of relaxed frog muscle *in vitro*. 80*P*

Allen D.G., Lee J.A. & Smith G.L. The effects of simulated ischaemia on intracellular calcium and tension in isolated ferret ventricular muscle. 81*P*

Wray Susan The effects of cyanide on intracellular pH and metabolites in isolated rat uterus. 82*P*

Collins K.J., Easton J.C. & Sacco P. Cardiovascular responses to facial cooling with different body-surface temperatures in young and elderly human subjects. 83*P*

Kendrick A.H. & Laszlo G. CO transfer factor (TL_{CO}) on exercise in man: age and sex differences. 84*P*

Hanson M.A. & Kumar P. The hypoxic sensitivity of aortic chemoreceptors in newborn lambs. 85*P*

McQueen D.S. & Mir A.K. Involvement of 5-HT_3 receptors in responses of cat carotid body chemoreceptors to phenylbiguanide. 86*P*

Bennett T., Compton A.M. & Gardiner S.M. Differential regional haemodynamic effects of depressor doses of rat calcitonin-gene-related peptide (CGRP), rat corticotropin-releasing factor (CRF) and α-rat atrial natriuretic peptide (ANP) in conscious Long Evans rats. 87*P*

Bennett T., Compton A.M. & Gardiner S.M. Regional haemodynamic changes following administration of sodium nitroprusside (SNP) to conscious Long Evans and Brattleboro rats. 88*P*

Kenning N.A. Hydrogen ion regulation in bovine adrenal medullary cells maintained in tissue culture. 89*P*

Gillespie J.I., Greenwell J.R. & Scratcherd T. The actions of H^+ on intracellular calcium $[Ca^{2+}]_i$ in isolated rat pancreatic acinar cells during prolonged exposure to acetylcholine (ACh). 90*P*

Barrett J.S., Pearson H.A. & W.-Wray D. Non-competitive antagonism of calcium by magnesium at the mouse neuromuscular junction *in vitro*. 91*P*

Attwell David, Barbour Boris & Brew Helen The effect of internal ions on electrogenic glutamate uptake in glial cells isolated from the tiger salamander retina. 92*P*

Robinson P.P. The properties and functional distribution of chorda tympani nerve fibres in the cat. 93*P*

Lamb T.D. & Matthews H.R. Differential effects of the incorporation of ATP-analogues into rod photoreceptors isolated from the tiger salamander. 94*P*

Mulrine N.K. & Ogden D.C. The equilibrium open probability of nicotinic ion channels at the rat skeletal neuromuscular junction *in vitro*. 95*P*

Ashmore J.F. & Holley M.C. A structural basis for fast length changes in outer hair cells isolated from the guinea-pig cochlea. 96*P*

Ashmore J.F. & Balme E.J. Chloride channels in the apical membrane of isolated Hensen cells of the guinea-pig cochlea. 97*P*

Harkness Margaret L.R. & Harkness R.D. An effect of carbon dioxide on the behaviour of an ant, *Messor wasmanni*. 98*P*